



04/05/00

4-6-00
FISH & RICHARDSON P.C.

F

Frederick P. Fish
1855-1930W.K. Richardson
1859-1951

April 5, 2000

225 Franklin Street
Boston, Massachusetts
02110-2804Telephone
617 542-5070Facsimile
617 542-8906Web Site
www.fr.com

Attorney Docket No.: 11642-005001

Box Patent ApplicationAssistant Commissioner for Patents
Washington, DC 20231

Presented for filing is a new original patent application of:

Applicant: David Hornstein

Title: Aesthetic Profile Collection

Enclosed are the following papers, including those required to receive a filing date under 37 CFR 1.53(b):

BOSTON
DELAWARE
NEW YORK
SAN DIEGO
SILICON VALLEY
TWIN CITIES
WASHINGTON, DC

	Pages
Specification	24
Claims	3
Abstract	1
Declaration	1
Drawing(s)	14

Enclosures:

- Postcard.
- This application is entitled to small entity status. A Verified Statement Claiming Small Entity Status is enclosed herewith.

Basic filing fee	\$345
Total claims in excess of 20 times \$9	\$0
Independent claims in excess of 3 times \$39	\$39
Fee for multiple dependent claims	\$0

CERTIFICATE OF MAILING BY EXPRESS MAIL


Express Mail Label No. EL228033295

I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit April 5, 2000

Signature

Typed or Printed Name of Person Signing Certificate



005040 29824560

FISH & RICHARDSON P.C.

Assistant Commissioner for Patents

April 5, 2000

Page 2

Total filing fee:

\$384

A check for the filing fee is enclosed. Please apply any other required fees or any credits to deposit account 06-1050, referencing the attorney docket number shown above.

If this application is found to be incomplete, or if a telephone conference would otherwise be helpful, please call the undersigned at (617) 542-5070.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Please send all correspondence to:

DENIS G. MALONEY
Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110-2804

Respectfully submitted,



Denis G. Maloney

Reg. No. 29,670

Enclosures

DGM/mgc

20046493.doc

Applicant or Patentee: David Hornstein

Serial or Patent No.:

Filed or Issued:

For: AESTHETIC PROFILE COLLECTION

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) and 1.27(b)) — INDEPENDENT INVENTOR**

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled _____ described in:

[X] the specification filed herewith.

[[application serial no. , filed .

☐ patent no. __, issued __.

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

☒ no such person, concern, or organization.

☐ persons, concerns or organizations listed below*.

*NOTE: Separate verified statements are required from each named person, concern, or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

Full Name:

Address:

☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status when any new rule 53 application is filed or prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Inventor: DAVID HORNSTEIN

Signature: David Hornsby

Date: 3/30/00

APPLICATION
FOR
UNITED STATES LETTERS PATENT

TITLE: AESTHETIC PROFILE COLLECTION

APPLICANT: DAVID HORNSTEIN

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EL228033295

I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit

April 5, 2000

Signature

Samantha Bell

Typed or Printed Name of Person Signing Certificate

Samantha Bell

0050010-0050010

AESTHETIC PROFILE COLLECTION

Background

This invention relates to electronic commerce on the Internet, and applied market research both on and off-line.

5 The Internet has become a vehicle for buying products of all types. When shopping on the Internet, a buyer may search a database for products that have been catalogued by a particular style name. For example, if shopping for furniture, a shopper can ask for products that are classified as "Contemporary."

10 Similarly in clothing, a consumer may search by specifying multiple, objective criteria such as color and price range (e.g., blue shirts under \$20). The shopper would receive results listing shirts that matched the color and price specifications. The results could be very numerous and the shirts could be of
15 very different styles, many of which may not appeal to the customer. The shirts could have nothing in common with each other, other than that they are blue and under \$20. Searching for furniture products is generally done based on style name, e.g., "Traditional", "Contemporary", "Country", and so forth.

Summary

20 Style names do not have specific meanings, that is, there is no agreed upon meaning for what constitutes "Traditional" or "Contemporary" furniture. Styles are an attempt to assemble collections of aesthetic attributes into discrete
25 sets, to distinguish styles from other styles, and therefore divide an entire category (e.g., furniture) into smaller searchable units. There can be considerable overlap between styles. A particular chair design might be considered "Contemporary", "Country", "Transitional", or "Shaker". Because
30 there is no clear consensus as to what combination of material

and aesthetic attributes constitutes a particular style. A Contemporary light fixture for example, could be a simple glass piece or it could be a complicated fixture made out of wood and aluminum and other materials. Moreover, a simple light fixture could exist that includes Traditional and Contemporary elements. Shaker style is considered a Traditional style, but it also embodies simplicity which is characteristic of Contemporary style. This confusion is compounded since few consumers have specific knowledge as to what the various style names mean. Thus, styles and style names are not sufficiently accurate descriptors to allow consumers to easily identify furniture they would find appealing.

On the Internet, product selection is often larger than in off-line stores, which are limited by the physical constraints of their display space. The downside of Internet shopping is that there may not be sufficient bandwidth (either transmission bandwidth or a user's continued attention span) to show many products very quickly. Thus, a customer is unlikely to see all possible products that are available and which are desirable to the customer. Rather the customer would have to sort through a large number of products. This is particularly true with an Internet based store that may sell products from many different vendors.

One aspect of the invention is to provide a sorting technique that is based primarily on visual and aesthetic characteristics.

According to an aspect of the present invention, a method for selecting products that occurs over a networked computer system includes retrieving a product aesthetic tag associated with a particular product type selected by a customer, the aesthetic tag containing values that represent aesthetic

features of the product and forming a result tag that contains a value corresponding to how well aesthetic features of the product match to aesthetic preferences of the customer.

According to an additional aspect of the present invention, a computer program product residing on a computer readable medium for selecting products over a networked computer system includes instructions to cause a computer to retrieve a customer aesthetic profile, the customer aesthetic profile tag having aesthetic profile preferences of the customer, retrieve a product aesthetic tag associated with a particular product type selected by the customer that has aesthetic features of the product, compare customer aesthetic profile tag to the product aesthetic tag, and form a result tag that contains a value corresponding to how well aesthetic features of the product match to aesthetic preferences of the customer.

Brief Description of the Drawings

FIG. 1 is a block diagram of a networked computer system including a server that executes a profile collection and product selection process.

FIG. 2 is a flow chart showing a product selection process.

FIG. 3 is a flow chart showing a process to obtain initial information for product selection.

FIG. 4 is a flow chart showing a process for collecting aesthetic profile information of a customer.

FIG. 5 is a flow chart showing details of a process to produce an aesthetic-based profile tag.

FIG. 6 is a flow chart showing details of a matching process for product selection.

FIG. 7 is a flow chart showing details of a matching

engine used in the search process of FIG. 5.

FIG. 8 is a flow chart showing a coding process to code products with aesthetic-based tag identifiers.

FIG. 9 is a flow chart showing a profile averaging process.

FIG. 10 is a flow chart showing a profile updating process.

FIG. 11-12 are flow charts showing a sales analysis process based on product aesthetic characteristics.

FIG. 13 is a flow chart showing an alternative process for collecting aesthetic profile information of a customer.

FIG. 14 is a diagram of a web page that depicts a graphical user interface adaptable for use in the processes of FIGS. 4 and 13.

Detailed Description

Referring now to FIG. 1, a system 10 for collecting aesthetic profile information and for selecting products based on matching aesthetic profile information to aesthetic characteristic of products is shown. The system 10 uses a public network such as the Internet 18, as shown. Other types of network arrangements such as an Intranet or a local or wide area network, and so forth can be used. The system 10 includes one or more client stations 12 running a web browser program 12a or equivalent interface. The clients 12 are coupled to the Internet 18 and to vendor sites 18a-18b and/or a server 16. The server 16 includes a storage medium 17 and has residing on the storage medium 17 an aesthetic profiling and search process 25. The aesthetic profiling and search process 25 includes a personal aesthetic profiler process 30 that can collect profile information of clients at client stations 12, an aesthetic based

product search and matching engine 70, and an aesthetic-based product tagging process 90.

In particular, the personal aesthetic profiler process 30 collects aesthetically-based profile information of clients, as will be described below. The product search and matching engine 70 searches for products that are tagged with aesthetic-based specifications that are based on aesthetic profile information collected by the tagging process 90.

The product search and matching process 70 is shown residing on the server 16 but could reside on individual vendor sites 14a and 14b, as also shown. Thus, the product search and matching process 70 can be executed as an individual site-based service for searching external multiple vendor sites 14a and 14b or, alternatively, the process 70 can be run on individual vendor sites to internally search the site 14a and 14b. In some embodiments, the vendor sites 14a and 14b represent different non-associated vendors, whereas in other embodiments the vendor sites 14a, 14b can represent associated vendors.

Referring now also to FIG. 2, the aesthetic profiling and search process 25 has the client 12 access 25a the intermediary web site 16. The intermediary web site 16 will send, in a conventional manner, a web page to the browser 12a in client system 12 to gather 25b initial, objective profile information. The web page will have fields for the client to fill-in initial profile information such as name, address and general, objective, non-aesthetic-based product preferences, as is further described in conjunction with FIG. 3.

After gathering initial profile information, the server 16 will initiate 25c an aesthetics profiling session with the user at client system 12 if current aesthetic profile information is not available for the current user. The aesthetic profile

collection session collects aesthetic preferences of the individual at station 12 based upon aesthetic considerations related to various scales of form, texture, materials type and color, pattern, type and extent of decoration, overall product appearance e.g., presentation and others that are determined for each user by scoring a user's response to questions posed by viewing and grading images that are presented to the user. A technique for conducting this profiling session is described below in conjunction with FIG. 4.

After the aesthetic profile is generated or retrieved, the process 25 searches 25d available products based on the initial and aesthetic profile information. Aesthetic information on available products are stored in a database (not shown) that is accessed by the server 16. The entries are aesthetic-based product characteristic tags that are produced in accordance with aesthetic considerations that are attributable to the product, as will also be described below. The search process 25d also has a matching process that enables the user's aesthetic profile to be matched against possible tags associated with products that are available on the system 10. These potential matches are returned by the server 16 and displayed 25e at the client station 12 through the web browser 12a by returning a web page containing the results of the matching operation.

The displayed results, if returned from the server 16, as in the embodiment under consideration, can include links 25f to the vendor sites 14a, 14b that sell the product, and preferably to the page at which the product is displayed at the vendor site. This would also lead to additional pages where the user can find additional information about the product or purchase the product at the vendor site. Alternatively, the

server 16 can provide that software service for the vendor and allow the client to directly purchase one or more products from the server site 16.

Referring now to FIG. 3, an initial profiling process 24 used to collect initial, objective, non-aesthetic profile information of the individual at client station 12 is shown. The profile session 24 collects information such as the identity 24a of the individual at the client station, information concerning the item that the client desires to search for 24b, as well as information regarding a price range 24c that the client is willing to accept, whether the client has any particular vendor or brand preferences 24d, as well as whether the client is concerned about availability for the product selected 24e.

Depending upon the nature of the product, certain of these profile questions need not be asked of the individual. For example, if the items being searched for are related to furniture, possibly the vendor or branding of the furniture can be disregarded since there is generally less brand loyalty to furniture compared to brand loyalty commonly associated with clothing, for example. With clothing, the availability profile information can be avoided since clothing is generally available; whereas, with furniture, the availability of furniture may vary from weeks to months depending upon the vendor. Of course, all of these questions and additional, objective, non-aesthetic-based questions can be asked of the individual at this time.

Referring now to FIG. 4, an aesthetic profiling process 30 is shown. The aesthetic profiling process 30 obtains information regarding aesthetic preferences of a customer. The aesthetic profiling process 30 conducts testing of an individual's aesthetic preferences by having an individual examine selected set of images. The images are chosen or

constructed to highlight one of a plurality of aesthetic scales that are rated by the process 30. The process 30 starts by an individual examining 32 an initial set of images. The set of images are chosen to emphasize a particular aesthetic scale as well as a sub-scale within each of these scales as described below. The user examines the initial set of images and indicates its preferences for likes and dislikes of the aesthetic set by grading the images on a preference scale. The responses are sent to and received 34 by the server 16. The server process 30 determines 36 whether a threshold number of exemplary sets of images have been examined by the user. If the threshold has not been reached, the server analyzes 38 the responses to determine a new set of images to send to the client.

Analysis 38 examines the results received from the user to determine whether the user has given consistent responses to the styles being tested over the set of images. For example, if the set of images test the user's preferences for shape, the analysis process 38 examines the responses for shape to determine whether the user had consistent responses over the set of images. If the responses are consistent, that is, if the user expresses a strong satisfaction for or a dissatisfaction with a particular shape scale, then the analysis process 38 can select additional sets of images that do not test for the particular style, e.g., shape. In this way, the analysis process narrows down the scales to those scales which require further testing of the user. The server 16 selects 39 a new set of images based on the analysis process 38.

If the threshold has been reached, the server 16 will send 40 a test set of images which are selected to test whether the analysis process 38 can predict the user's answers for the

response. That is, whether the process has sufficiently learned the aesthetic preferences of the individual. Thus, the process 30 will form 40 a test set of images and determine 42 a predicted response for each image in the test set of images. The process 5 30 sends the images to the client where the client will again indicate its preferences. The server 16 will receive 44 the responses from the individual and compare 46 the responses received from the individual to the predicted responses for the individual. If there is an exact or sufficient match, the 10 process 30 will form 50 a profile tag for the individual. If the answers do not sufficiently match, the process will submit 52 additional sets of graphics for the user to examine and the process 30 will repeat until a second threshold is reached.

The scales are several in number, e.g., 4 to 6 or more 15 and the number of scales often are determined by the type of product. The scales are further divided into sub-scales, resulting in a total number of 10-12 or more scales. Exemplary scales and levels are shown in Table I below:

TABLE I

Scale	level A	level B	level C
Form	Closed, solid, dense	Some solid, some open	Open, not dense
Form	Curvy, organic	Minimal curves	Straight lines
Form	Simple, minimal parts	Typical number of parts	Complicated, many parts
Materials	Organic, natural	Some natural, some manuf.	Manufactured, machined look
Decoration	No decoration added	Some decoration	Highly decorated
Decoration	Inherent in form	Inherent and added	Separate from form
Decoration	Natural, organic	Stylized, not symbolic	Symbolic motif
Overall Appearance	Quiet, peaceful	Somewhat attention-getting	Loud, boisterous
Overall Appearance	Playful, humorous	Not playful, not formal	Formal, serious
Overall Appearance	Handmade, crafted	Some handmade details	Manufactured, no handmade parts
Color	Not colorful	Somewhat colorful	Very colorful
Color	Choose palette		
Novelty	Unique, unusual	Some unique features	Stylized, typical

The major scale "Form" has three sub-scales. The sub-scales of "form" are related to preferences concerning "open - closed", "curvy - straight", "simple - complicated". The scale material relate to whether natural or manufactured appearance is desired. The major scale "Decoration" has three sub-scales used to specify whether or not there are "decorative elements" whether they are "integral to the form or added to the form" and if decorative form is added the third sub-scale specifies whether the decoration is "a motif or a natural decoration". The scale "overall appearance" is used to give an overall sense of the product. Overall appearance has three sub-scales related to quiet-loudness of the overall appearance, playfulness - formality and handmade - manufactured appearance. "Color" scales test for color by using color palettes. The scales examine whether warm colors, cool colors, bright colors, soft colors, etc. appeal to the client. The scale "Novelty" relates to whether the product is consistent with the aesthetic norms for that type of product

(typical) or deviates from the norms (novel).

On each of these dichotomies there are three levels. For example, in form open and close there is open, closed, and in-between. Thus, for the scales, there are three levels. The customer can assigned a numeric value to each level of each scale. In some embodiments, the number values can be selected from a range of values, e.g., onto a scale of 1 to 10, for example, or can simply be a yes (like) no (dislike).

Each scale is represented by multiple archetype examples. The examples are product images whose primary aesthetic attribute is a best example of the particular scale, and that do not strongly embody attributes of other scales. For instance, an archetype for the "solid form" scale could be a solid leather chair that has a fully enclosed seat and back. An archetype for the open form scale could be a thin metal frame chair with an open back and slat seat. The archetype for the intermediate level on the open-closed form scale could be a chair with a solid seat but an open lattice back.

The process 30 uses multiple images of each scale to conduct a test to make sure that there was not something objectionable about any particular image that was testing a particular scale. With 13 scales (scales and sub-scales) and 3 levels (A, B, C), there can be a total of 39 images that are tested. Since each tested scale can be run a number of times, e.g., three times, one such example could have a total of 117 images. That is, there are three embodiments of each level of each scale. For example, three embodiments of a chair, an open chair, an intermediate open-closed chair and a closed chair. An example of another scale, e.g., decoration, has three levels. One level is decoration that is inherent in the design. For instance, a chair whose back, seat, and legs are made from one

continuos curved piece of metal has a decorative quality inherent in the form of the chair. The intermediate level of that scale could be a similar chair form that added a seat cushion and padded arms, thus introducing additional decorative elements to the basic form. The highest level of that particular scale of decoration could be a Queen Anne chair that would have many embellishments to the basic form including carved arms, legs, and back.

Another sub-scale of the scale decoration is "motif." Motif refers to a pattern of carved or applied embellishment. Natural motifs are shapes and figures intended to be visually pleasing but not representing or symbolizing any particular meaning. The highest level of the "motif" scale are decorations that have specific meaning and are references to a particular symbol. For example, pineapples are used to symbolize hospitality, or wheat staffs to symbolize abundance. These symbolic decorations are often closely linked to particular historical styles. Therefore, rather than labeling a particular piece of furniture as, for example, "traditional", the process rates its various attributes according to the scales and sub-scales, to produce a more exact definition of the piece that allows for closer alignment with the preferences of the user.

The test for furniture could only be images of chairs, because chairs embody all possible varieties of form and decoration of all furniture. Other items of furniture e.g., tables, sofas embody a more limited image. In the case of a chair, a chair allows for the most variation in a particular embodiment of that category. That is, when an individual is tested, the test can be comprised of images for a particular product, e.g., chairs that will represent a whole class, furniture. Of course, images of the particular products that a

client has selected could be used in the testing phase.

For lighting, testing would use a table lamp because again it embodies all these characteristics of lamps. Some of the scales that are tested for in a table lamp may not present in track lighting. Testing using a table lamp will furnish sufficient information to select any type of lamp. The table lamp has a base, a body and a shade that captures more of the variations in lighting than would for example a sconce.

Clothing, in addition to characteristics such as price and vendor, can include objective, non-aesthetic characteristic such as purpose, e.g., dress, casual or outdoor; material e.g., synthetics or natural fibers, nylon or rayon, cotton or wool. For each objective, non-aesthetic characteristic, the client can express no preference or could indicate a strong preference only for certain of these characteristics. When testing for clothing-based aesthetics, the testing process could test for shirts to represent the entire category of clothing. The testing would have the user respond to specific items such as a collar, a cuff, the manner in which the clothing hangs, whether the clothing is loose or tight, the transparency of the material. The process would test for both tangible and aesthetic attributes.

After the user takes the profiling test, or at any other point when they are visiting the site, they can elect to view their profile. The viewed profile would appear as the table of scales for the given category (clothing, furniture) and the level "A", "B", or "C", that they had scored highest in highlighted. They could elect to edit their profile by highlighting a different level. This altered profile could be saved under a different name, or could be a change to their primary profile, at the users option.

Referring now to FIG. 5, a profile tag forming process 60 takes 62 a numerical score that is assigned to each response and sums 64 that score with like scores from other responses of the user for the same scale. The summation of all of the scores or an average is entered 66 into a field of a vector that corresponds to the location of the scale in the profile tag. The profile tag can have a structure as shown below:

form	form	form	materials	decoration	decoration	decoration
A B C	A B C	A B C	A B C	A B C	A B C	A B C

overall	overall	overall	color	color	novelty
A B C	A B C	A B C	A B C	A B C	A B C

The profile tag is formed by summing numerical scores that are assigned to each one of the scales tested in the profile process. For example, referring back to Table 1, the user can be shown images that tests the scale "form" that corresponds to whether the user likes solid or open shapes. The response could be a simple yes or no which assigns a value of e.g., 0 or 1, to each one of the levels presented for the scale form. These scales, over a series of images, e.g., 3 to 5 images, could be added up on a scale by scale basis and their sum can be used to represent the first form scale in the result vector.

Alternatively, the customer can express a range of preferences for each scale such as by using a numerical scale, e.g., 1-10. Thus, each field would be populated with values in the range of 1 to 10 and those values would be added or averaged to produce a value for the profile tag.

Similarly, product tags will be formed in a similar manner using trained persons to grade the products and the product tags will have a similar structure.

Referring now to FIG. 6, a search and matching engine 70 that searches for products based on a customer aesthetic profile tag is shown. The process 70 retrieves 72 a customer aesthetic profile tag such as can be produced in accordance with the process shown in FIGS. 4 and 5. The process also retrieves 74 all tags for a particular product type that were determined based upon the initial nonaesthetic profile information that the user submitted in conjunction with FIG. 3. The process finds matches 76 of the customer's aesthetic profile tag to aesthetic profile tags that are associated with products that are in the database accessible by the server 16. The matching engine retrieves 78 tags of the particular product type, to match to the profile tag of the user. Predetermined criteria are used to indicate what corresponds to a suitable match. The resulting tags can then be ordered 78 based upon the highest match score. The results can be used to retrieve 80 descriptions and images of the matched products and possibly the score that the product received. The results are sent 82 back to the user where they are displayed in the client web browser.

Alternatively, the tags can be used to access links to other web sites where the products are offered. The scores as well as the links, or the links separately, can be sent back to the user so the user can actually examine the products that have been selected by the search process 70.

Referring now to FIG. 7, the details of the matching process 76 (FIG. 6) are shown. The matching process 76 produces a score 76a for each corresponding field in a profile tag by comparing the value of the field in a profile tag to a value in a

corresponding field of the product tag to arrive at a value that indicates the relative agreement between the preferences of the individual and characteristics of the product. One technique could take the absolute value of the difference between both
5 fields with ideally a difference of 0 corresponding to a perfect match, a difference of 1 corresponding to a near perfect match, and values greater than 1 to correspondingly successively poorer matches.

The results are optionally weighted 76b by multiplying
10 the score obtained in the scoring process 76a by a weight factor. The weight factors is either empirically determined or derived from prior knowledge of the aesthetic profile characteristics of the user. The matching process 76 thus can weight specific aesthetic attributes based upon either their relative importance
15 to the particular product or based upon an inference that an individual does not have a particularly high concern for the particular aesthetic attribute.

After weighting 76b the result, the result is stored
20 76c in a corresponding field of a result tag. The process continues examining the fields of the client and product tags until all fields in the profile tags have been examined or compared against corresponding fields in the product tag. Once the process has finished for the products that are selected in the search process (FIG. 6), the results are sorted 78 as
25 described above.

Referring now to FIG. 8, a coding process to produce product tags that can be associated with products in the database is shown. The coding process 90 selects 92 an image of a product to score, and has a human scorer 94 score the product image
30 according to predetermined parameters associated with each of the scale levels, as shown in Table 1 above, for the particular

product under consideration.

A score is assigned indicating which level of each attribute the product embodies. In the case of Table 1, products would be scored "A", "B", or "C", in each of the thirteen scales. The statistics will be collected 98 and assembled into a code that corresponds to a tag for the product. The tag is stored 100 along with a link to the product or other information associated with the product, so that the tag can be recalled when a particular type of product corresponding to the product being scored is selected by a user, such as described above in conjunction with FIGS. 2-7.

Referring now to FIG. 9, a process 110 for merging profiles from two different customers is shown. This process 110, for example, can be used to allow two individuals such as a husband and wife use their common preferences to search for a particular product such as, for example, by purchasing furniture where often more than one party is involved in the purchase. The process will receive 112a the profile of customer 1, and retrieve 112b the profile of customer 2.

The process 110 can optionally weight 114a, 114b each one of the profiles by assigning a weight that can make one person's profile more prevalent over the other person's profile or optionally could be used to weight certain factors in the nonaesthetic profile generated in conjunction with FIG. 2 heavily towards one customer; whereas, weighting the aesthetic profile features of the process heavily towards the other customer. These weighting factors can be based on preferences stated by the users in queries or can be based on a model or the like.

The optionally weighted profiles of both customers are combined 116 by averaging the values (weighted or unweighted) in each of the tags of the customers to come out with a new,

composite profile tag that corresponds to a composite of the individual profile tags. The new composite tag is stored 118 and is associated with both of the identities of the profile of the individuals whose profile was used. The composite profile tag is used to compare to tags of products in the product selection process described above.

Referring now to FIG. 10, a process 120 for modifying an existing profile of a user which had previously used the system is shown. The user enters 122 non-aesthetic profile information such as the type of product the client wants to select as above. The process 120 determines 124 whether a profile has been completed for the user for the particular product category (e.g. furniture, or clothing) by examining all stored profiles for the user in the database which are also associated or tagged with products for which they were produced. If a profile has been completed, the process will exit.

Otherwise, if the profile has not been completed, the profile is either updated 126 or a new profile is produced depending on the nature of the products and the nature of the stored profiles. If a new profile is produced the process of FIG. 4 is used again. If the profile is updated 126, the updating is accomplished by showing the user a subset of images especially selected from the set of images. These are examined using the process described above in FIG. 4. A new composite, profile is produced by concatenating or by selecting aspects of the profile information in profiles that were previously obtained from the user, along with the new profile data that was obtained from the user in the update 126 process. The new profile information stored 130 as a new tag for the individual for the particular product that is currently being profiled.

The process 25 gives clients and vendors the ability to

determine the customer's actual aesthetic tastes (preferences) and apply knowledge of these aesthetic tastes to the market. The interactive testing enables profile collection by testing a client about his aesthetic taste. The process 25 does not rely on an assumption that there is an agreed upon meaning to words used to describe aesthetic characteristics. Moreover, the process 25 does not need to assume that the client would actually know their own preferences when a style or characteristic is only expressed as a word. Some people may not necessarily know what they prefer in a verbal way, but do have preferences, that can be obtained through images. When faced with two different objects, a person can have a preference for one object or the other object. The client need not explain why they have a preference.

The process 25 could use software that is written to train individuals as product scorers to evaluate and score products in each of the 12 scales and 3 levels mentioned above. The process 25 could teach the product scorers how to evaluate various criteria by giving examples for each of the different scales at the different levels.

There are variations of this process 25. For example, the process 25 can be modified to identify architectural features. The process 25 can be modified to help people determine the architectural style their house or what architectural style they would like in a house.

This variation would show clients images of components of houses such as doors, windows, an overall shape of a house, and so forth. In each case the client would pick the style of these components that closely matches the style of their house or their preference for a house. The matching engine will add up the features and determine what is the closest recognizable style for the group of components that they described. The process can

make recommendations as to products that would fit within that style. Therefore, if the client describes an aesthetic profile that corresponds to a Victorian house, the process will present e.g., doors, windows, tile, wall coverings, and so forth that fit within a Victorian house.

The process can use an interactive text component where the process can describe a variety of windows for example and the client can query the process for advantages and disadvantages of the particular window versus a different window, because most styles allows for a variety of components. The process can give the features of the components and explain why the client might want to select one window over the other.

Referring now to FIG. 11, a sales analysis process 150 is shown. The sales analysis process 150 examines sales of products to determine what aesthetic considerations may have been used by customers when purchasing the products. The process 150 is initiated by retrieving 152 product profiles tags for all products under consideration. The products under consideration can be of the same type (e.g., chairs), class (e.g., all furniture) or classification (e.g., all modern furniture). The products under consideration for analysis could cut across product classes (e.g., lighting and furniture). In general, it is only necessary the product classes share at least some scales. The product tags are the tags as produced in accordance with the process shown in FIG. 8.

The process 150 analyzes 154 the product tags to correlate scales for products that sell well and for those products that do not sell well. The analysis process 154 examines tags of the products and scores the scales in the product tags of products based on the product selling history. The scales are ordered 158 based upon score. The results can be

used to give insights into future purchases by a merchant of new products that are strong in particular scale factors, e.g. highest score or products that are weak e.g., lowest scores. The results can be displayed to a user 160 in a client web browser.

5 Referring now to FIG. 12, the details of the analysis process 154 (FIG. 11) are shown. The analysis process 154 produces 154a a score for each corresponding field of the product tags by comparing the values of the fields over all product tags under consideration. One embodiment could use a simple
10 arithmetic mean value to assign 154b a value in a corresponding field of a result vector. This process can occur over all of the fields in the product tag.

The result vector includes a value that indicates the average prevalence of a particular scale over a group of
15 products, giving a vendor insight as to which aesthetic characteristics of its products appeal to customer aesthetic preferences. The individual fields in the product tags can be ordered to give an indication of the strength of the aesthetic preferences in making buying decisions. One technique could use
20 a threshold 154c to determine whether a value in the results field is significant or not.

The server can conduct an analysis of vendors products whose aesthetic attributes are stored in the database as possible referral choices. The server analyzes all of the products by
25 ordering 154c produced by popularity (which were chosen most often) and compares 154d the profiles of the most popular products to the least popular products to inform the vendor as to which attributes contributed the most to sales. The server 16 can also compare the attribute profile of the vendors products to
30 the entire database of similar products to compare what product profiles sold best/worst in the entire category. The server

could also rank the vendor's products into a variety of tiers, (top 25%, next 25%, lower 25%, bottom 25%) and analyze the attribute profiles as explained above, against the vendor's own products, and against all products in the same class. This could enable a vendor to see why their top selling products did well, but why their middle selling products were outperformed by other vendors.

The process can also analyze the sales of an off-line vendor by tagging their products with the aesthetically-based attribute tags. The process can analyze their sales data to indicate which attributes contributed most to sales. The process can also be used to compare data to aggregated data of similar products. For example, even though the vendor's top sellers have particular attributes, the process could discover when compared to data in the on-line database that other attributes could result in even higher sales.

The process can also be used to publish non-commissioned, syndicated reports that can be made available on a website, or offline by subscription or direct sale. The report can show the best and worst (by popularity) attribute profiles in a variety of categories. Vendors could learn what product features to buy, or how to redesign their product attributes to increase sales.

Referring now to FIG. 13, aesthetic based searching process is shown. A client can access the server and using a search engine search by attribute(s) for products. The client enters a preference in any one or all of the attribute scales, without using their profile. For example, using the scales previously listed, one could search for a chair that was: closed, curvy, complicated, machined, highly decorated, organic, etc. Or one could just search for playful chairs, with no other

attribute specified. From the choice made by the user, the server would compile 174 an aesthetic profile tag. The matching process 74, 76 (FIG. 6) would work the same way as the profiling match, with the desired attributes being matched against the product tags. In the case of one or a couple of desired attributes, many products would be returned, in the case of many desired attributes, few or no products would be an exact match. In that case, the user could be asked to eliminate some attributes, or to accept less than perfect matches. The user could be permitted to optionally weight the desired attributes, in essence producing a similar profile as they would if they took the test. A user could specify a 100% preference for curved form, but a 70% preference for novelty. The user could optionally save this created profile as their primary profile, or as an additional profile.

This technique to produce a profile by answering questions concerning scales rather than taking the test would also be useful to create additional profiles, for friends or relatives, or for different residences or occasions. For example, a user might have two residences that they would like to furnish in different ways, they therefore could create a primary residence profile and a "beach house" profile. Depending on which house they were shopping for, they would call up different profiles. In the case of clothing or jewelry, they could create a "work", "night on the town", "casual weekend", and other profiles to search according to different criteria.

Referring now to FIG. 14, an exemplary graphical user interface useful in the process of FIG. 13 is presented as a web page 200. The web page 200 includes information contained in Table 1 (see above). The information is presented as a series of questions regarding each of the scales. The user is prompted to

select preferences. For example, as shown in the web page 200, a question 202 for the scale "material" has levels A-C with the descriptions of each of the levels thereunder. The descriptions within each of the levels can be links to a web page that displays a definition of the scale being tested at that level.

Moreover, within each of the levels are boxes or controls. A first box 212 will launch an image of an object which possess the desired characteristics. Whereas, the second box 214 will be a control that the user can use to enter a value corresponding to its preference for that particular style.

The graphical user interface 200 can be adapted to produce an interface for the process described in conjunction with FIG. 6. In this instance, the graphical user interface might eliminate, for example, all the text explanations associated with each of the scales and sub-scales being tested and would simply provide the user with one or more images that test those particular scales to which the user can respond by selecting a control that specifies "like" or "dislike" or, alternatively, to which the user can respond over a range of preferences, e.g., by using a sliding scale control that presents a value from, e.g., one to ten. Other techniques for inputting the range could alternatively be used such as a text entry and so forth.

Other embodiments are within the scope of the appended claims.

What is claimed is:

1 1. A method for selecting products that occurs over a
2 networked computer system comprises:

3 sending a user a web page that contains questions that
4 request preferences for scales that correspond to aesthetic
5 features of products:

6 receiving from a user, a set of responses from the
7 questions that correspond to aesthetic features of products, to
8 produce a profile preferences for scales that correspond to
9 aesthetic features of products.

1 2. The method of claim 1 further comprising:
2 compiling an aesthetic profile tag for the user based
3 on the received responses for the preferences for the scales.

1 3. The method of claim 1 further comprising:
2 retrieving a product aesthetic tag associated with a
3 particular product type selected by the user, the product
4 aesthetic tag representing aesthetic features of the product;
5 forming a result tag that contains a value
6 corresponding to how well aesthetic features of the product match
7 to aesthetic preferences of the customer.

1 4. The method of claim 1 wherein the user is presented
2 with a graphical user interface that contains questions that
3 illicit the information from the user.

1 5. The method of claim 1 wherein the user is present with
2 a graphical user interface that is a web page.

1 6. The method of claim 5 wherein web page includes a
2 control for the user to enter a value corresponding to how the
3 user rates the importance of the scale.

1 7. The method of claim 5 wherein the web page includes a
2 control that when selected by the user displays a picture of an
3 item that embodies the scale.

1 8. The method of claim 5 wherein the web page includes a
2 description of each of the scales.

1 9. The method of claim 5 wherein the web page includes a
2 first control for the user to enter a value corresponding to how
3 the user rates the importance of the scale; a second control that
4 when selected by the user displays a picture of an item that
5 embodies the scale, and a description of each of the scales

1 10. A method of producing an aesthetic profile tag for a
2 user comprises:

3 entering preferences in a plurality of attribute
4 scales, said attribute scales providing textual indications of
5 aesthetic features preferred by a user.

1 11. The method of claim 10 wherein the aesthetic features
2 include at least one of form, material, decoration, overall
3 appearance, and novelty.

1 12. The method of claim 10 wherein each scale is further
2 divided into three levels.

1 13. A computer program product for selecting products, said
2 computer program product residing on a computer readable medium
3 comprises instructions for causing a computer to:

4 receive from a user responses for preferences for
5 scales that correspond to aesthetic features of products, wherein
6 the computer program product produces a graphical user interface
7 that contains questions that illicit the information from the
8 user.

1 14. The computer program product of claim 13 further
2 comprising instructions to:

3 compile an aesthetic profile tag for the user based on
4 the received responses for the scales.

1 15. A system for selecting products, said system
2 comprising:

3 a computer;
4 a computer program product residing on a computer
5 readable medium comprises instructions for causing a computer to:
6 receive from a user responses for preferences for
7 scales that correspond to aesthetic features of products, wherein
8 the computer program product produces a graphical user interface
9 that contains questions that illicit the information from the
10 user.

Abstract

A system for selecting products is described. The system includes a computer executing a process to retrieve a product aesthetic tag associated with a particular product type selected by a customer. The aesthetic tag contains values that represent aesthetic features of the product and a process to form a result tag that contains a value corresponding to how well aesthetic features of the product match to aesthetic preferences of the customer.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

005040" 89861560

Scale	level A	level B	level C
Form	Closed, solid,	Some solid, some open	Open, not dense
Form	Curvy, organic	Minimal curves Straight lines	Straight lines
Form	Simple, minimal parts	Typical number of parts	Complicated, many parts
Materials	Organic, natural	Some natural, some manuf.	Manufactured, machined look
	value -214 picture -212	value picture	value picture
Decoration	No decoration added	Some decoration	Highly decorated
Decoration	Inherent in form	Inherent and added Separate from form	Separate from form
Decoration	Natural, organic	Stylized, not symbolic	Symbolic motif
Overall Appearance	Quiet, peaceful	Somewhat attention-getting	Loud, boisterous
Overall Appearance	Playful, humorous	Not playful, not formal	Formal, serious
Overall Appearance	Handmade, crafted	Some handmade details	Manufactured, no handmade

200

200

FIG. 14

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled AESTHETIC PROFILE COLLECTION, the specification of which:

- ☒ is attached hereto.
☐ was filed on _ as Application Serial No. _ and was amended on _____.
☐ was described and claimed in PCT International Application No. _____ filed on _____ and as amended under PCT Article 19 on _____.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Denis G. Maloney, Reg. No. 29,670
 Kenneth F. Kozik, Reg. No. 36,572

David L. Feigenbaum, Reg. No. 30,378
 Paul A. Pysher, Reg. No. 40,780

Address all telephone calls to DENIS G. MALONEY at telephone number (617) 542-5070.

Address all correspondence to DENIS G. MALONEY at:

FISH & RICHARDSON P.C.
 225 Franklin Street
 Boston, MA 02110-2804

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full Name of Inventor: David Hornstein

Inventor's Signature: David Hornstein
 Residence Address: 15 Westminster Ave. Lexington, MA. 02420
 Citizenship: USA
 Post Office Address: 15 Westminster Ave. Lexington, MA. 02420

Date: 3/30/00